

To: J3
 Subject: Comments on Annex C
 From: Van Snyder
 Date: 26 January 2007

1 Edits

2	Edits refer to 07-007. Page and line numbers are displayed in the margin. Absent other instructions, a	
3	page and line number or line number range implies all of the indicated text is to be replaced by associated	
4	text, while a page and line number followed by + (-) indicates that associated text is to be inserted after	
5	(before) the indicated line. Remarks are noted in the margin, or appear between [and] in the text.	
6	[Editor: Insert "(13.7.54)" after "SELECTED_REAL_KIND" and delete the next sentence.]	523:20-23
7	[Editor: Replace "may" by "might".]	523:23
8	[Editor: Replace "defines ... window" by "might define a graphic object".]	524:29
9	[Editor: Exchange "change" and "dynamically".]	525:16
10	[Editor: Delete ", Temp" and replace "pointers" by "pointer".]	525:34
11	ALLOCATE (CURRENT % NEXT_NODE) ! Create new cell	526:2-5
12	CURRENT % NEXT_NODE % VALUE = K ! Assign value to new cell	
13	CURRENT => CURRENT % NEXT_NODE ! CURRENT points to new end of list	
14	[Editor: Insert "or a name associated to it by some association other than pointer association" after	532:5
15	"name".]	
16	[Editor: Insert ", TARGET" after "VOLATILE" because the OS_BEGIN_DETECT_USER_KEYSTROKE subroutine	532:37
17	presumably associates a pointer with it.]	
18	[Editor: Delete "pseudo".]	532:41
19	[Editor: Replace "pointing to" by "being associated with".]	535:33
20	[Editor: Replace the period by a semicolon.]	535:35
21	[Editor: Delete "basically".]	536:34
22	[Editor: Delete "also".]	537:2
23	[Editor: Replace "pointer ... space" by "pointers CURRENT and CURRENT%NEXT_CELL have been	537:18-19
24	associated with targets".]	
25	[Editor: Delete "down".]	537:36
26	The following FORALL statement illustrates declaring the index variable within the statement, which	539:14+
27	would otherwise require an integer variable of the same name to be accessible in the scope containing	
28	the statement.	
29	FORALL (INTEGER :: COL = 1, SIZE(A,2)) B(COL) = NORM2(A(:,COL))	
30	[Editor: Delete "will".]	543:24
31	[Editor: Insert ", stream" after "sequential" and replace "two" by "three" twice.]	544:1-2
32	[Editor: Replace "will" by "can".]	544:15
33	[The first clause of the sentence is confusing, and (if I understand it) simply repeating what the rest of	544:18-19
34	the sentence says. Editor: Delete "If ... that is," and capitalize "a".]	
35	[Editor: Replace "will contain" by "is assigned".]	544:24

36	[Editor: Replace “this” by “the”.]	544:25
37	[Editor: Replace “will contain” by “contains”.]	544:26
38	[Editor: Replace “has been” by “is”.]	544:28
39	[Editor: Replace “is present” by “appears” and replace “required” by “requires”.]	544:30
40	[Editor: Replace “will be” by “is”.]	544:31
41	[Editor: Replace “will then be” by “is”.]	544:32
42	[Editor: Replace “The IOSTAT... will be” by “If the IOSTAT= specifier appears, the specified variable	544:32-33
43	is”.]	
44	[Editor: Replace “will be” by “is” and delete the other “will”.]	544:34
45	[Editor: Replace “continue” by “continues”.]	544:35
46	[Editor: Replace “has been” by “is”.]	544:36
47	[Editor: Replace “The SIZE... will contain” by “If the SIZE= specifier appears, the specified variable	544:328
48	contains”.]	
49	[Editor: Replace “this” by “the”.]	544:39
50	[Editor: Delete “will”.]	545:18
51	[Editor: Replace “will describe” by “describes” and “will be” by “is”.]	545:21
52	[Editor: Replace “will perform” by “performs”.]	545:24
53	[Editor: Replace “will process” by “processes”.]	545:31
54	[Editor: Replace “user” by “program”; the standard is about programs and processors, not programmers	545:36
55	or users.]	
56	[Editor: Replace “is present” by “appears”.]	546:1
57	[Editor: Replace “was present” by “appeared”.]	546:16
58	[Editor: Replace “will have to” by “must”.]	546:17
59	[Editor: Replace “got” by “encountered” and “will” by “can”.]	546:23
60	[Editor: Replace “got” by “encountered”.]	546:25
61	[Editor: Insert “in order” after “required”.]	546:31
62	[Editor: Replace “this” by “the”.]	547:1
63	[Editor: Insert “if the most recently previous operation on the unit was not a nonadvancing read oper-	548:40
64	ation” after “scan”.]	
65	[Editor: Replace “the” by “an advancing”.]	549:1
66	[Editor: Replace “will be” by “are”.]	550:34
67	[Editor: Replace “will” by “can”.]	550:35
68	[Editor: Replace “shall be” by “are”.]	550:45
69	[Editor: Replace “shall translate” by “translates”.]	551:4
70	[Editor: Delete “(or file element)”.]	551:25
71	[Editor: Delete because it’s about non-saved module variables disappearing, which they no longer do.]	551:35-44

72	[Editor: Delete “, SAVE” because it’s no longer needed.]	553:25
73	[Editor: Replace “and” by a comma and insert “, and other characteristics that require explicit interface”	554:4
74	after “arguments”.]	
75	[Editor: Insert “in the following example” before “is”.]	560:14
76	[Editor: Delete “, save” because it’s no longer needed.]	560:18
77	[Editor: Replace “modules” by “submodules”.]	563:8
78	[Editor: Insert “procedure” after “intrinsic”.]	563:24
79	[Editor: Delete “and FORTRAN 66” and “and 66”.]	566:21
80	[Editor: Delete “FORTRAN 66 and”.]	566:24-25
81	[Editor: Delete “FORTRAN 66/”.]	566:33
82	[Editor: Insert a new paragraph:]	568:23+
83	If a nonpointer dummy argument has the TARGET attribute and the corresponding actual argument	
84	does not, any pointers that become associated with the dummy argument, and therefore with the ac-	
85	tual argument, during execution of the procedure, become undefined when execution of the procedure	
86	completes.	
87	[Editor: Replace “intrinsic” by “intrinsic procedures”.]	570:2
88	[Editor: Move C.12.2 to [569:40+], after the changes noted below through page 582.]	578:13ff
89	[Editor: Insert “or binding” after “specific	578:15-18
90	[Editor: Insert “the declared” after “specifically”.]	578:20
91	[Editor: Replace “and rank” by “rank, and whether the dummy argument has the pointer or allocatable	578:21
92	attribute”.]	
93	[Editor: Insert “in 12.4.3.4.5” after “(2)” because the earlier reference to that subclause is on the previous	579:6
94	page and it’s not clear to what “(2)” applies.]	
95	[Editor: Insert a new paragraph:]	582:23+
96	If one dummy argument has the POINTER attribute and the corresponding argument in the other	
97	interface body has the ALLOCATABLE attribute the generic interface is not ambiguous. If one dummy	
98	argument has either the POINTER or ALLOCATABLE attribute and the corresponding argument in	
99	the other interface body has neither attribute, the generic interface is ambiguous.	
100	[Editor: Delete “we construct” and replace “will record” by “records”.]	586:13
101	[Editor: Replace “will be” by “is” thrice.]	586:14,29,30
102	[Editor: Replace “will be” by “are”.]	586:31
103	[Editor: Replace “will occur” by “occurs”.]	586:31-32
104	[Editor: Move subclause C.13.10 to [569:41+]	591:1-4