

Annex E

(Informative)

Index of syntax terms

In this index, page numbers in **bold face** denote primary definitions of syntax terms, that is, on the left-hand sides of syntax rules that appear in the sections in which their primary definitions appear. Syntax rules are sometimes quoted in sections other than the section in which their primary definition appears.

A

- abstract-interface-name* (R1215), 43, 44, 49, 249, 250, **250**
- ac-do-variable* (R465), 62, **62**, 63
- ac-IMPLIED-do* (R463), 62, **62**, 63
- ac-IMPLIED-do-control* (R464), 62, **62**
- ac-spec* (R459), 62, **62**
- ac-value* (R462), 62, **62**, 63
- access-id* (R523), 81, **81**, 82
- access-spec* (R512), 41–44, 50, 51, 65, 72, **72**, 81, 250
- access-stmt* (R522), 10, 50, **81**, 82
- action-stmt* (R216), 10, **11**, 149, 161
- action-term-do-construct* (R836), 157, **157**
- actual-arg* (R1221), 252, **252**, 253
- actual-arg-spec* (R1220), 251, 252, **252**
- add-op* (R709), 25, 112, **112**
- add-operand* (R705), 112, **112**, 130
- alloc-opt* (R624), 104, **104**, 105
- allocatable-stmt* (R524), 10, **82**, 383
- allocate-lower-bound* (R630), 104, **104**
- allocate-object* (R628), 67, 70, 77, 104, **104**, 105, 106, 108, 109, 395
- allocate-shape-spec* (R629), 104, **104**, 105
- allocate-stmt* (R623), 11, 67, 77, **104**, 395
- allocate-upper-bound* (R631), 104, **104**
- allocation* (R627), 104, **104**, 105
- alphanumeric-character* (R302), 23, **23**, 25
- alt-return-spec* (R1222), 160, 251, 252, **252**, 253
- and-op* (R719), 25, 113, **113**
- and-operand* (R714), 113, **113**, 114
- arithmetic-if-stmt* (R847), 11, 157, 161, **161**
- array-constructor* (R458), 62, **62**, 63, 111
- array-element* (R616), 83, 84, 91, 97, 98, 101, **101**
- array-name*, 85, 384
- array-section* (R617), 97, 101, **101**, 102
- array-spec* (R514), 6, 65, 66, 68, 73, **73**, 85, 87
- assignment-stmt* (R734), 11, **131**, 132, 138, 141, 143, 270, 395
- associate-construct* (R821), 10, 154, **154**
- associate-construct-name*, 154
- associate-name*, 152–155
- associate-stmt* (R822), 154, **154**, 161
- association* (R823), 154, **154**
- assumed-shape-spec* (R518), 73, 74, **74**
- assumed-size-spec* (R520), 74, **75**, 76
- asynchronous-stmt* (R525), 10, **82**
- attr-spec* (R504), 65, **65**, 66, 73

B

- backspace-stmt* (R923), 11, **198**, 270
- binary-constant* (R409), 34, **35**
- bind-entity* (R527), 82, **82**, 83
- bind-stmt* (R526), 10, 82, **82**
- binding* (R445), 43, 44, **44**
- binding-attr* (R444), 43, 44, **44**
- binding-name*, 43, 252, 381, 407
- binding-private-stmt* (R439), 43, **43**
- blank-interp-edit-desc* (R1016), 211, **211**
- block* (R801), **147**, 148, 150, 152, 154, 156
- block-data* (R1114), 9, 239, **239**
- block-data-name*, 239
- block-data-stmt* (R1115), 9, 239, **239**
- block-do-construct* (R826), 156, **156**
- bounds-remapping* (R738), 135, 136, **136**, 137
- bounds-spec* (R737), 135, 136, **136**, 137
- boz-literal-constant* (R408), 25, **34**, 35

C

- call-stmt* (R1218), 11, 76, **251**, 253, 254
- case-construct* (R808), 11, 150, **150**
- case-construct-name*, 150
- case-expr* (R812), 150, **150**
- case-selector* (R813), 150, **150**
- case-stmt* (R810), 150, **150**
- case-value* (R815), 150, **150**
- case-value-range* (R814), 150, **150**
- char-constant* (R309), 25, **25**, 162
- char-expr* (R725), 116, **116**, 120, 150
- char-initialization-expr* (R731), 73, 120, **120**, 150, 178, 179
- char-length* (R511), 42, 66, 67, 69, **69**, 70

char-literal-constant (R421), 25, 30, **38**, 194, 211, 212
char-selector (R509), 65, **69**, 70
char-string-edit-desc (R1019), 210, **212**
char-variable (R606), 97, **97**
character (R301), **23**
close-spec (R909), 177, **177**
close-stmt (R908), 11, **177**, 270
common-block-name, 82, 87, 93, 238
common-block-object (R562), 93, **93**, 238, 384
common-stmt (R561), 10, **93**, 384
complex-literal-constant (R418), 25, **37**
component-array-spec (R434), 42, **42**, 47
component-attr-spec (R432), 42, **42**, 43, 48
component-decl (R433), 42, **42**, 47, 70
component-def-stmt (R430), 41, 42, **42**, 47, 71
component-initialization (R435), 42, **42**, 43, 236
component-name, 42
component-spec (R450), 56, **56**, 57, 119
computed-goto-stmt (R846), 11, 161, **161**
concat-op (R711), 25, 112, 113, **113**
connect-spec (R905), 173, **173**
constant (R305), 25, **25**, 84, 98, 111
constant-subobject (R538), 84, **84**, 111
contains-stmt (R1236), 10, 43, **267**
continue-stmt (R848), 11, 156, 157, **161**
control-edit-desc (R1011), 210, **211**
cycle-stmt (R843), 11, 157, 159, **159**

D

d (R1008), 210, 211, **211**, 215–218, 220, 221, 228
data-component-def-stmt (R431), 42, **42**
data-component-part (R428), 41, **41**, 50
data-edit-desc (R1005), 210, **210**
data-i-do-object (R532), 83, **83**, 84
data-i-do-variable (R533), 83, **83**
data-implied-do (R531), 83, **83**, 84
data-pointer-component-name, 135, 136
data-pointer-object (R736), 135, **135**, 136, 137
data-ref (R612), **98**, 99, 101, 181, 252, 254
data-stmt (R528), 10, **83**, 244, 270, 384
data-stmt-constant (R536), 84, **84**, 85
data-stmt-object (R530), 83, **83**, 84
data-stmt-repeat (R535), 84, **84**
data-stmt-set (R529), 83, **83**
data-stmt-value (R534), 83, 84, **84**
data-target (R739), 67, 135, 136, **136**, 137, 144
dealloc-opt (R636), 108, **108**
deallocate-stmt (R635), 11, 67, 77, **108**, 395
decimal-edit-desc (R1018), 211, **212**
declaration-construct (R207), 9, **10**
declaration-type-spec (R502), 42, 60, 65, **65**, 68, 88, 89, 250, 262, 264
default-char-expr (R726), 116, **116**, 173–183

default-char-variable (R607), 97, **97**, 104, 170, 173, 200–205
default-logical-variable (R605), 97, **97**, 200, 202–204
deferred-shape-spec (R519), 42, 66, 73, 75, **75**, 79, 82, 86
defined-binary-op (R723), 26, 114, **114**, 115, 116, 237
defined-operator (R311), **26**, 44, 238, 244
defined-unary-op (R703), 26, 112, **112**, 115, 116, 129, 237
derived-type-def (R423), 10, 41, **41**, 42, 44, 45, 71
derived-type-spec (R447), 56, **56**, 57, 60, 65, 71, 192, 381
derived-type-stmt (R424), 41, **41**, 45, 50, 53, 384
designator (R603), 84, 97, **97**, 100, 111
digit, 5, 23, **24**, 26, 34, 35, 162
digit-string (R403), 34, **34**, 36, 215
digit-string, 34
dimension-stmt (R539), 10, **85**, 384
do-block (R832), 156, **156**, 157, 158
do-body (R837), 157, **157**
do-construct (R825), 11, **156**, 159
do-construct-name, 156, 159
do-stmt (R827), 156, **156**, 157, 161
do-term-action-stmt (R838), 157, **157**, 159, 161
do-term-shared-stmt (R842), 157, **157**, 158, 159, 161
do-variable (R831), 156, **156**, 158, 183, 184, 208
dtio-generic-spec (R1208), 44, 49, 55, 191, 192, 195, 244, **244**, 377
dtv-type-spec (R920), **192**
dummy-arg (R1232), 264, **264**, 265
dummy-arg-name (R1226), 85–87, 261, 262, **262**, 264, 268, 269, 384

E

e (R1009), 210, 211, **211**, 216, 217, 220, 228
else-if-stmt (R804), 148, **148**
else-stmt (R805), 148, **148**
elsewhere-stmt (R749), 138, **138**, 139
end-associate-stmt (R824), 154, **154**, 161
end-block-data-stmt (R1116), 9, 14, 15, 239, **239**
end-do (R833), 156, **156**, 157, 159
end-do-stmt (R834), 156, **156**, 161
end-enum-stmt (R457), 60, **60**
end-forall-stmt (R757), 141, **141**
end-function-stmt (R1229), 9, 11, 14, 15, 149, 157, 244, 261, 262, **262**, 267
end-if-stmt (R806), 148, **148**, 161
end-interface-stmt (R1204), 244, **244**
end-module-stmt (R1106), 9, 14, 15, 236, **236**
end-program-stmt (R1103), 9, 11, 14, 15, 149, 157, 235, **235**

end-select-stmt (R811), 150, **150**, 151, 161
end-select-type-stmt (R820), 152, 153, **153**, 154, 161
end-subroutine-stmt (R1233), 9, 11, 14, 15, 149, 157, 264, **264**, 267
end-type-stmt (R446), 41, **44**
end-where-stmt (R750), 138, **138**, 139
endfile-stmt (R924), 11, **198**, 270
entity-decl (R505), 65, 66, **66**, 67, 68, 70, 73, 383
entity-name, 82, 86
entry-name, 265–267, 377
entry-stmt (R1234), 10, 236, 244, 265, **265**, 377, 384
enum-alias-def (R453), 10, **60**, 61
enum-def-stmt (R454), 60, **60**
enumerator (R456), 60, **60**
enumerator-def-stmt (R455), 60, **60**
equiv-op (R721), 25, 113, **113**
equiv-operand (R716), 113, **113**, 114
equivalence-object (R560), 91, **91**, 238
equivalence-set (R559), 91, **91**, 92
equivalence-stmt (R558), 10, **91**, 384
errmsg-variable (R626), 104, **104**, 105, 108, 392, 395
executable-construct (R215), 10, **10**, 13, 265
execution-part (R208), 9, **10**, 11, 235, 261, 263, 264
execution-part-construct (R209), 10, **10**, 147, 157
exit-stmt (R844), 11, 157, 159, **159**
explicit-shape-spec (R515), 42, 66, 73, 74, **74**, 75, 76, 93, 94
exponent (R417), 36, **36**
exponent-letter (R416), 36, **36**
expr (R722), 6, 56, 57, 59, 62, 111, 114, **114**, 116, 117, 120, 131–136, 140, 143, 152, 183, 252, 268–270
extended-intrinsic-op (R312), 26, **26**
extensible-type-name, 153
external-name, 249
external-stmt (R1210), 10, **249**, 383
external-subprogram (R203), 9, **9**, 265

F

file-name-expr (R906), 173, **173**, 175, 200, 201, 203
file-unit-number (R902), 170, **170**, 173, 177, 179, 193, 197, 198, 200, 201, 270
final-binding (R443), 43, **44**
final-subroutine-name, 44
forall-assignment-stmt (R756), 141, **141**, 143–145, 271
forall-body-construct (R755), 141, **141**, 143, 145
forall-construct (R751), 11, 141, **141**, 142, 144, 145
forall-construct-name, 141
forall-construct-stmt (R752), 141, **141**, 161
forall-header (R753), 141, **141**, 145, 146

forall-stmt (R758), 11, 141, 145, **145**
forall-triplet-spec (R754), 141, **141**, 142, 143, 145
format (R914), 178–180, **180**, 188, 209, 210
format-item (R1003), 209, 210, **210**
format-specification (R1002), 209, **209**
format-stmt (R1001), 10, 209, **209**, 236, 244
function-name, 66, 67, 76, 245, 249, 261–263, 268, 269, 377, 383
function-reference (R1217), 57, 76, 111, **251**, 254, 260
function-stmt (R1224), 9, 244, 245, 249, 261, **261**, 262, 267, 268, 377, 384
function-subprogram (R1223), 9, 10, **261**

G

generic-binding (R442), 43, **43**, 44, 48, 49
generic-name, 44, 244, 384
generic-spec (R1207), 43, 44, 49, 55, 81, 129, 135, 192, 193, 237, 238, 244, **244**, 384
goto-stmt (R845), 11, 157, 161, **161**

H

hex-constant (R411), 35, **35**
hex-digit (R412), 35, **35**

I

if-construct (R802), 11, 148, **148**
if-construct-name, 148
if-stmt (R807), 11, 149, **149**
if-then-stmt (R803), 148, **148**, 161
imag-part (R420), 37, **37**
implicit-part (R205), 9, **10**
implicit-part-stmt (R206), 10, **10**
implicit-spec (R554), 88, **88**
implicit-stmt (R553), 10, **88**
import-name, 245
import-stmt (R1209), 9, **245**
index-name, 141–146, 381, 382, 393, 394
initialization (R507), 66, **66**, 67, 68
initialization-expr (R730), 41, 42, 46, 66, 68, 79, 86, 120, **120**
inner-shared-do-construct (R841), 157, **157**
input-item (R915), 178, 179, 183, **183**, 184, 196, 208, 395
inquire-spec (R928), 199, 200, **200**, 201, 206, 208
inquire-stmt (R927), 11, **199**, 270
int-constant (R308), 25, **25**, 84
int-constant-name, 34
int-constant-subobject (R537), 84, **84**
int-expr (R727), 32, 62, 83, 98, 101, 104, 116, **116**, 118, 120, 141, 150, 156, 158, 161, 170, 173, 179, 183, 266
int-initialization-expr (R732), 60, 61, 66, 67, 69, 120, **120**, 150

int-literal-constant (R405), 25, 34, **34**, 35, 69, 210, 211
int-variable (R608), 62, 83, 97, **97**, 104, 156, 173, 177, 179, 197–200, 203–206
intent-spec (R521), 66, **76**, 85, 250
intent-stmt (R540), 10, **85**
interface-block (R1201), 10, 244, **244**, 270
interface-body (R1205), 244, **244**, 245, 383
interface-specification (R1202), 244, **244**
interface-stmt (R1203), 244, **244**, 247, 384
internal-file-variable (R903), 170, **170**, 179, 395
internal-subprogram (R211), 10, **10**
internal-subprogram-part (R210), 9, **10**, 235, 261, 262, 264, 270
intrinsic-operator (R310), **25**, 26, 112, 114, 115, 247
intrinsic-procedure-name, 251, 384
intrinsic-stmt (R1216), 10, **251**, 384
io-control-spec (R913), 178, **178**, 179, 193, 208
io-implied-do (R917), 183, **183**, 184, 189, 208
io-implied-do-control (R919), 183, **183**
io-implied-do-object (R918), 183, **183**, 184
io-unit (R901), 170, **170**, 178, 179, 270
iomsg-variable (R907), 173, **173**, 177, 179, 197, 198, 200, 207, 208, 392

K

k (R1012), 211, **211**, 216, 221, 224
keyword (R217), 19, **19**, 56, 57, 252
kind-param (R406), 34, **34**, 35, 36, 38, 40, 69
kind-selector (R508), 6, 41, 60, 61, 65, **66**, 67

L

label (R313), 26, **26**, 156, 157, 161, 173, 177–180, 197, 198, 200, 252, 253
label-do-stmt (R828), 156, **156**, 157
language-binding-spec (R513), 66, 67, **73**, 82, 83, 250, 261, 268
left-square-bracket (R460), 62, **62**
length-selector (R510), 6, 68, 69, **69**, 70
letter, 23, **23**, 25, 26, 88, 112, 114
letter-spec (R555), 88, **88**
level-1-expr (R702), 112, **112**, 130
level-2-expr (R706), 112, **112**, 113, 130
level-3-expr (R710), 113, **113**
level-4-expr (R712), 113, **113**, 114
level-5-expr (R717), 113, **113**, 114
literal-constant (R306), 25, **25**
local-defined-operator (R1112), 237, **237**, 238
local-name, 237, 238
logical-expr (R724), 116, **116**, 120, 138, 148–150, 156, 158, 159
logical-initialization-expr (R733), 120, **120**, 150
logical-literal-constant (R422), 25, **40**, 112, 114

logical-variable (R604), 97, **97**
loop-control (R830), 156, **156**, 158, 160
lower-bound (R516), 74, **74**, 75, 76, 136

M

m (R1007), 210, 211, **211**, 214, 215
main-program (R1101), 9, 235, **235**
mask-expr (R747), 138, **138**, 139–141, 143–145
masked-elsewhere-stmt (R748), 138, **138**, 139, 144
module (R1104), 9, **236**
module-name, 236, 237, 383
module-nature (R1108), 237, **237**
module-stmt (R1105), 9, 236, **236**
module-subprogram (R213), 10, **10**, 265
module-subprogram-part (R212), 9, **10**, 49, 55, 236
mult-op (R708), 25, 112, **112**
mult-operand (R704), 112, **112**, 130

N

n (R1014), 211, **211**
name (R304), 19, 25, **25**, 66, 87, 97, 153, 189, 250, 262
name, 6
named-constant (R307), 25, **25**, 30, 37, 60, 86, 384
named-constant-def (R543), 86, **86**, 384
namelist-group (R??), 394
namelist-group-name, 90, 178–181, 188, 190, 209, 230, 234, 238, 384, 395
namelist-group-object (R557), 90, **90**, 188, 189, 191, 196, 208, 229, 230
namelist-object (R??), 238
namelist-stmt (R556), 10, **90**, 384, 395
nonblock-do-construct (R835), 156, **157**
nonlabel-do-stmt (R829), 156, **156**
not-op (R718), 25, 113, **113**
nullify-stmt (R633), 11, 67, 77, **108**, 395
numeric-expr (R728), 35, 116, **116**, 161

O

object-name (R506), 66, **66**, 67, 68, 79, 82, 86–88, 97, 383
octal-constant (R410), 35, **35**
only (R1110), 237, **237**, 238
only-use-name (R1111), 237, **237**, 238
open-stmt (R904), 11, **173**, 270
optional-stmt (R541), 10, **86**
or-op (R720), 25, 113, **113**
or-operand (R715), 113, **113**, 114
outer-shared-do-construct (R839), 157, **157**
output-item (R916), 178, 179, 183, **183**, 184, 196, 199

P

parameter-stmt (R542), 10, **86**, 384

parent-string (R610), 98, **98**
parent-type-name, 41
part-name, 98, 99, 101, 254
part-ref (R613), 83, 91, 98, **98**, 99, 101, 102
pointer-assignment-stmt (R735), 11, 67, 77, **135**,
 141, 144, 270, 395
pointer-decl (R545), 86, **86**
pointer-object (R634), 67, 77, 108, **108**, 136, 137,
 144, 286, 395
pointer-stmt (R544), 10, **86**, 383
position-edit-desc (R1013), 211, **211**
position-spec (R926), 198, **198**
power-op (R707), 25, 112, **112**
prefix (R1227), 261, 262, **262**, 264
prefix-spec (R1228), 262, **262**, 263–265, 269, 271
primaries, 269
primary (R701), 111, **111**, 112
print-stmt (R912), 11, **178**, 270
private-sequence-stmt (R429), 41, **41**, 42
proc-attr-spec (R1213), 249, **250**
proc-binding-stmt (R440), 43, **43**, 48, 321
proc-component-attr-spec (R437), 43, **43**
proc-component-def-stmt (R436), 42, 43, **43**
proc-decl (R1214), 43, 249, 250, **250**
proc-entity-name, 86
proc-interface (R1212), 43, 249, 250, **250**
proc-interface-name, 321
proc-language-binding-spec (R1225), 261, **261**, 262,
 264, 265, 267, 268
proc-pointer-name (R549), 87, **87**, 93, 108, 136, 384
proc-pointer-object (R740), 135, **136**, 137
proc-target (R741), 67, 135, 136, **136**, 137
procedure-component-name, 136, 252
procedure-declaration-stmt (R1211), 10, 86, **249**
procedure-designator (R1219), 251, **251**
procedure-entity-name, 250
procedure-name, 44, 49, 136, 137, 244, 245, 251–253
procedure-stmt (R1206), 244, **244**, 245
program (R201), 9, **9**
program-name, 235
program-stmt (R1102), 9, 235, **235**
program-unit (R202), 6, 9, **9**, 235
protected-stmt (R546), 10, **86**

R

r (R1004), 210, **210**, 211, 212
read-stmt (R910), 11, **178**, 179, 270, 395
real-literal-constant (R414), 25, 36, **36**
real-part (R419), 37, **37**
rel-op (R713), 25, 113, **113**, 127
rename (R1109), 237, **237**, 238
rep-char, 38, **38**, 212, 226, 231
result-name, 261, 263, 265, 384
return-stmt (R1235), 11, 15, 157, 266, **266**

rewind-stmt (R925), 11, **198**, 270
right-square-bracket (R461), 62, **62**
round-edit-desc (R1017), 211, **211**

S

save-stmt (R547), 10, **87**, 383
saved-entity (R548), 68, 87, **87**
scalar-xyz (R103), 6, **6**
section-subscript (R619), 98, 99, 101, **101**, 102
select-case-stmt (R809), 150, **150**, 161
select-construct-name, 152, 153
select-type-construct (R816), 11, **152**, 153
select-type-stmt (R817), 152, **152**, 153, 161
selector (R818), 152, **152**, 153, 154, 386, 395
shared-term-do-construct (R840), 157, **157**
sign (R407), 34, **34**, 36, 215
sign-edit-desc (R1015), 211, **211**
signed-digit-string (R402), **34**, 36, 214, 215
signed-int-literal-constant (R404), 34, **34**, 37, 84,
 211
signed-real-literal-constant (R413), **36**, 37, 84
significand (R415), 36, **36**
source-variable (R632), 104, **104**, 105
special-character, 23, **24**
specific-binding (R441), 43, **43**
specification-expr (R729), 65, 66, 68, 74, **118**, 271
specification-part (R204), 9, **9**, 44, 72, 82, 86, 119,
 120, 235, 236, 239, 244, 261, 264, 269, 270
specification-stmt (R214), 10, **10**
stat-variable (R625), 104, **104**, 105, 106, 108, 395
stmt-function-stmt (R1237), 10, 236, 244, **268**, 383,
 384
stop-code (R850), 162, **162**
stop-stmt (R849), 11, 157, **162**, 270
stride (R621), 101, **101**, 141, 143, 145, 187
structure-component (R614), 83, 84, 97–99, **99**,
 104, 108, 254
structure-constructor (R449), **56**, 57, 60, 84, 111
subroutine-name, 76, 245, 249, 264, 376
subroutine-stmt (R1231), 9, 244, 245, 249, 261, 262,
 264, **264**, 267, 268, 376, 377, 384
subroutine-subprogram (R1230), 9, 10, **264**
subscript (R618), 6, 83, 101, **101**, 141, 145, 187
subscript-triplet (R620), 101, **101**, 102
substring (R609), 91, 97, **98**
substring-range (R611), 98, **98**, 99, 101, 187

T

target (R??), 258, 270, 286
target-stmt (R550), 10, **87**, 383
type-alias (R452), 53, 60, **60**
type-alias-name, 56, 60, 61, 65, 384
type-alias-stmt (R451), 10, **60**, 384
type-attr-spec (R425), 41, **41**, 46, 91

type-bound-procedure-part (R438), 41, 42, **43**, 50
type-declaration-stmt (R501), 10, **65**, 66, 70, 270,
383
type-guard-stmt (R819), 152, 153, **153**
type-name, 41, 43–45, 53, 56, 71, 408
type-param-attr-spec (R427), 41, **41**, 45
type-param-def-stmt (R426), 41, **41**, 45
type-param-inquiry (R615), 100, **100**, 111, 381
type-param-name, 41, 45, 100, 111, 381, 384
type-param-spec (R448), 56, **56**
type-param-value (R401), 32, **32**, 33, 42, 56, 63, 65,
66, 68–70, 104, 105
type-spec (R503), 62, 63, 65, **65**, 70, 104, 105

U

underscore (R303), 23, **24**
upper-bound (R517), 74, **74**, 136
use-defined-operator (R1113), 237, **237**, 238
use-name, 81, 82, 237, 238
use-stmt (R1107), 9, 237, **237**, 383

V

v (R1010), 194, 211, **211**, 222
value-stmt (R551), 10, **87**
variable (R601), 59, 83, 97, **97**, 104, 109, 111, 131–
136, 139, 140, 143, 144, 152–154, 183, 208,
252, 254, 270, 395
variable-name (R602), 90, 91, 93, 94, 97, **97**, 98,
104, 108, 135, 136, 384, 395
vector-subscript (R622), 101, **101**, 102
volatile-stmt (R552), 10, **88**

W

w (R1006), 210, 211, **211**, 214–217, 219–221, 226,
228
wait-spec (R922), 197, **197**
wait-stmt (R921), 11, **197**
where-assignment-stmt (R746), 138, **138**, 139, 140,
144, 399
where-body-construct (R745), 138, **138**, 139, 140
where-construct (R743), 11, 138, **138**, 139, 141, 144
where-construct-name, 138, 139
where-construct-stmt (R744), 138, **138**, 139, 144,
161
where-stmt (R742), 11, 138, **138**, 139, 141, 144
write-stmt (R911), 11, **178**, 179, 270, 395

X

xyz-list (R101), **6**
xyz-name (R102), **6**