

Template for comments and secretariat observations

Date:2023-02-01

Document:

Project:

MB/ NC ¹	Line number	Clause/ Subclause	Paragraph/ Figure/Table	Type of comment ²	Comments	Proposed change	Observations of the secretariat
**_ 001					ISO/IEC 10646 is not cited normatively in the text	Please move to the bibliography, otherwise, cite it normatively. Please refer to ISO/IEC Directives, Part 2, Table 3 for a list of the verbal forms used in ISO deliverables to cite a reference normatively (shall)	
**_ 002					ISO/IEC 9899:2018 is not cited normatively in the text	Please move to the bibliography, otherwise, cite it normatively. Please refer to ISO/IEC Directives, Part 2, Table 3 for a list of the verbal forms used in ISO deliverables to cite a reference normatively (shall)	
**_ 003					ISO/IEC 646:1991 is not cited normatively in the text	Please move to the bibliography, otherwise, cite it normatively. Please refer to ISO/IEC Directives, Part 2, Table 3 for a list of the verbal forms used in ISO deliverables to cite a reference normatively (shall)	
**_ 004					π	It must be upright when it used to express the value of "pi"	
**_ 005					This document was reviewed by an ISO CS editor to ensure conformity with ISO/IEC Directives, Part 2 (henceforth DP2, available at https://isotc.iso.org/livelink/livelink?func=ll&objId=4230456&objAction=browse&ort=subtype).		
US- 006	pg. xiii;			ed	Editorial corrections to the DIS	Introduction, Intrinsic procedures, sentence about SPLIT, "at time" -> "at a time".	

1 **MB** = Member body / **NC** = National Committee (enter the ISO 3166 two-letter country code, e.g. CN for China; comments from the ISO/CS editing unit are identified by **)


2 **Type of comment:** **ge** = general **te** = technical **ed** = editorial

Template for comments and secretariat observations

Date:2023-02-01

Document:

Project:

MB/ NC ¹	Line number	Clause/ Subclause	Paragraph/ Figure/Table	Type of comment ²	Comments	Proposed change	Observations of the secretariat
					 PI22.3-2022-00083- m228-22-193.txt Reference		
**_ 007		3			Self-referencing is not allowed in a definition. Several definitions refer to “this document”; e.g. 3.93, 3.93.1, 3.93.2, 3.133, 3.148.8...	Move the references to this document to notes to entry	
**_ 008		3			A definition must be able to replace its term in the text. The following cannot and must thus be rephrased: 3.41, 3.42, 3.52, 3.53, 3.62, 3.74, 3.93.1, 3.93.2, 3.150, (e.g. change to “without a valid value”, 3.151, 3.154 (without the save attribute),		
**_ 009		3			Including an application domain in angle brackets is only allowed when a given term is defined more than once in Clause 3 to specify its context of occurrence. The following terms are defined only once, yet they use angle brackets indicating the application domain. The content in angle brackets can be moved to the actual definition: 3.12, 3.19, 3.36, 3.59, 3.80, 3.88, 3.92, 3.93.1, 3.93.2, 3.110, 3.111, 3.129, 3.130, 3.146.3, 3.148.7, 3.148.10	Please delete angle brackets.	
**_ 010		3			The following are not actual definitions [e.g. in some cases, it is has if a habitation was defined as a “house or apartment” rather than saying that it is a space in	Please provide real definitions, i.e. a sentence explaining the term, or delete.	

1 **MB** = Member body / **NC** = National Committee (enter the ISO 3166 two-letter country code, e.g. CN for China; comments from the ISO/CS editing unit are identified by **)

2 **Type of comment:** **ge** = general **te** = technical **ed** = editorial

Template for comments and secretariat observations

Date:2023-02-01	Document:	Project:
-----------------	-----------	----------

MB/ NC ¹	Line number	Clause/ Subclause	Paragraph/ Figure/Table	Type of comment ²	Comments	Proposed change	Observations of the secretariat
					<p>which people live (which can be among other things a house or an apartment)]:</p> <p>3.7, 3.7.6, 3.13, 3.18, 3.20 (the definition must start with a noun), 3.23 (users of the OBP do not have access to 15.3.2.2), 3.22 (the definition must be able to replace the term in the text, which is not the case here. Also, the definition is unclear), 3.24 (users of the OBP do not have access to 15.3.2.3), 3.25 (users of the OBP do not have access to 15.3.3), 3.26 (users of the OBP do not have access to 15.3.1), 3.38.2, 3.39, 3.40 (besides, users of the OBP do not have access to 10.1.12, that is why definitions must not rely on the content of clauses of a given standard), 3.58, 3.59, 3.60.2, 3.60.3, 3.63, 3.67, 3.75, 3.91, 3.93.1, 3.93.2, 3.97, 3.116, 3.120, 3.126, 3.129, 3.134.1, 3.138, 3.143</p>		
**_ 011		3			<p>Circular definitions, which repeat the term being defined, are not allowed. Please rephrase definition so it is not circular or delete term entry.</p> <p>If a definition is circular, it means that the term is self-explanatory and that there is no need for a definition.</p> <p>The following definitions are circular: 3.2, 3.3.1, 3.3.2, 3.3.5, 3.3.7, 3.7.7, 3.7.8, 3.7.9, 3.8, 3.34.1 (what is a direct component then?), 3.34.3, 3.34.5, 3.50, 3.55, 3.56, 3.63.1, 3.63.2, 3.66.1, 3.66.2,</p>	Please rephrase the definition without using the term being defined, or delete term entry.	

1 **MB** = Member body / **NC** = National Committee (enter the ISO 3166 two-letter country code, e.g. CN for China; comments from the ISO/CS editing unit are identified by **)

2 **Type of comment:** **ge** = general **te** = technical **ed** = editorial

Template for comments and secretariat observations

Date:2023-02-01

Document:

Project:

MB/ NC ¹	Line number	Clause/ Subclause	Paragraph/ Figure/Table	Type of comment ²	Comments	Proposed change	Observations of the secretariat
					3.66.3, 3.66.5, 3.66.6, 3.70, 3.72, 3.74, 3.80, 3.81, 3.90.3, 3.95, 3.108.1, 3.108.2, 3.106, 3.108, 3.112.1, 3.112.3, 3.112.5, 3.112.6, 3.121, 3.121.3, 3.127. 3.134.2, 3.135, 3.140.1, 3.141, 3.148.1, 3.148.5, 3.148.6, 3.148.12.1		
**_ 012		3			<p>The cross-references to terms within clause 3 are done incorrectly, they are not in accordance with DP2, e.g.</p> <p><small>3.45 data entity data object, result of the evaluation of an expression, or the result of the execution of a function reference</small></p> <p>When cross-referencing a term in Clause 3, please put the term in italics and add the term entry number:</p> <p>This hyperlink must be added to “3.46”, not to the word.</p> <p>3.45</p> <p>data entity</p> <p><i>data object (3.46), result of the evaluation of an expression, or the result of the execution of a function reference</i></p>	Please correct throughout clause 3	
**_ 013		3			<p>Most of the definitions include cross references to other clauses in the document, which is not allowed in ISO documents, e.g.</p>	<p>Please move the cross references to other clauses in the document to notes to entry, e.g.:</p> <p>3.38.2 named constant named data object</p>	

1 **MB** = Member body / **NC** = National Committee (enter the ISO 3166 two-letter country code, e.g. CN for China; comments from the ISO/CS editing unit are identified by **)

2 **Type of comment:** **ge** = general **te** = technical **ed** = editorial

Template for comments and secretariat observations

Date:2023-02-01

Document:

Project:

MB/ NC ¹	Line number	Clause/ Subclause	Paragraph/ Figure/Table	Type of comment ²	Comments	Proposed change	Observations of the secretariat
					<p>3.38.2 named constant named data object with the PARAMETER attribute (8.5.13)</p> <p>3.39 construct entity entity whose identifier has the scope of a construct (19.1, 19.4)</p> <p>3.40 constant expression expression satisfying the requirements specified in 10.1.12, thus ensuring that its value is constant</p>	<p>Note 1 to entry: See 8.5.13.</p> <p>Please correct the whole of Clause</p>	
**_ 014		3			The boilerplate text in Claus 3 has been updated. Please use the new boilerplate text	<p>For the purposes of this document, the following terms and definitions apply.</p> <p>ISO and IEC maintain terminology databases for use in standardization at the following addresses:</p> <ul style="list-style-type: none"> — ISO Online browsing platform: available at https://www.iso.org/obp — IEC Electropedia: available at https://www.electropedia.org/ 	
**_ 015		3.102			that are to be	“are to be” expresses requirements in ISO deliverables, which is not allowed in a definition. Please change to “that are intended to be”	
**_ 016		3.104			The format of the term entry is incorrect.	<p>Please correct as follows:</p> <p>3.104</p> <p>NaN</p>	

1 **MB** = Member body / **NC** = National Committee (enter the ISO 3166 two-letter country code, e.g. CN for China; comments from the ISO/CS editing unit are identified by **)

2 **Type of comment:** **ge** = general **te** = technical **ed** = editorial

Template for comments and secretariat observations

Date:2023-02-01

Document:

Project:

MB/ NC ¹	Line number	Clause/ Subclause	Paragraph/ Figure/Table	Type of comment ²	Comments	Proposed change	Observations of the secretariat
						<p>Not a Number</p> <p>symbolic floating-point datum</p> <p>Note 1 to entry: (ISO/IEC/IEEE 60559:2020)</p>	
**_ 017		3.114			In 3.114 “not completely specified in this document” cannot be in the definition.	Please move to note to entry.	
**_ 018		3.148.6			Please replace “may” with “can” as a definition cannot express permission		
**_ 019		3.32, 3.32.01, 3.7.5, 3.22, 3.32, 3.32.1, 3.63, 3.90.2, 3.100			The font size is incorrect	<p>Please use the correct font size, i.e. 11</p> <p>Please check and correct the rest of Clause 3.</p>	
**_ 020		3.33			A definition cannot express a permission	Please replace “may” with “can” in the definition or delete.	
**_ 021		3.44			Why is there “(R927)” at the beginning of the definition?	Please delete or move to note to entry.	

1 **MB** = Member body / **NC** = National Committee (enter the ISO 3166 two-letter country code, e.g. CN for China; comments from the ISO/CS editing unit are identified by **)



2 **Type of comment:** **ge** = general **te** = technical **ed** = editorial

Template for comments and secretariat observations

Date:2023-02-01

Document:

Project:



MB/ NC ¹	Line number	Clause/ Subclause	Paragraph/ Figure/Table	Type of comment ²	Comments	Proposed change	Observations of the secretariat
**_ 022		3.91.2			“are to be”	“are to be” = shall in ISO deliverables. A definition cannot express a requirement, please change to, e.g. “that are given”.	
US- 023	pg. 27;	4.3.3;	P3+;	te	The requirements on the TARGET argument of ASSOCIATED are wrong, leading to a contradiction in the standard. The proposed change reword them to be “how we intended” (i.e. retain backwards compatibility, and do the obviously-right thing for new cases). For data pointers that are not assumed-rank, require the rank to be the same. Reference:  PL22.3-2022-00082-m228-22-292r2.txt	[27] 4.3.3 Fortran 2018 compatibility, p3+ (before the "different interpretation" paragraph) Insert new paragraph "Fortran 2018 permitted the POINTER and TARGET arguments to the intrinsic function ASSOCIATED to have different rank; this document does not permit such usage."	
US- 024	pg. 29;	4.3.4	P13+	te	The requirements on the TARGET argument of ASSOCIATED are wrong, leading to a contradiction in the standard. The proposed change reword them to be “how we intended” (i.e. retain backwards compatibility, and do the obviously-right thing for new cases). For data pointers that are not assumed-rank, require the rank to be the same. Reference:  PL22.3-2022-00082-m228-22-292r2.txt	[29] 4.3.4 Fortran 2008 compatibility, p13+ (before the "different interpretation" paragraph) Insert new paragraph "Fortran 2008 permitted the POINTER and TARGET arguments to the intrinsic function ASSOCIATED to have different rank; this document does not permit such usage."	
**_ 025		4.3.4, 4.3.7, 4.38 (2			“Annex B.2”, “Annex B.1”, is an incorrect of referring to a first-level clause is an annex	Please change to “Clause B.2”, “Clause B.1”,	

1 **MB** = Member body / **NC** = National Committee (enter the ISO 3166 two-letter country code, e.g. CN for China; comments from the ISO/CS editing unit are identified by **)

2 **Type of comment:** **ge** = general **te** = technical **ed** = editorial

Template for comments and secretariat observations

Date:2023-02-01	Document:	Project:
-----------------	-----------	----------

MB/ NC ¹	Line number	Clause/ Subclause	Paragraph/ Figure/Table	Type of comment ²	Comments	Proposed change	Observations of the secretariat
		occurrence s)					
US-026	pg. 29;	4.3.5;	P11+;	te	<p>The requirements on the TARGET argument of ASSOCIATED are wrong, leading to a contradiction in the standard. The proposed change reword them to be "how we intended" (i.e. retain backwards compatibility, and do the obviously-right thing for new cases). For data pointers that are not assumed-rank, require the rank to be the same.</p> <p>Reference:</p>  <p>PL22.3-2022-00082-m228-22-292r2.txt</p>	<p>[29] 4.3.5 Fortran 2003 compatibility, p11+ (before the "different interpretation" paragraph)</p> <p>Insert new paragraph</p> <p>"Fortran 2003 permitted the POINTER and TARGET arguments to the intrinsic function ASSOCIATED to have different rank; this document does not permit such usage."</p>	
**_027		5.5.7			<p><small>For example, a processor might allow a procedure defined by some language other than Fortran or C to be invoked if it can be described by a C prototype as defined in ISO/IEC 2018, 6.7.6.3.</small></p>	Please add missing reference	
US-028	pg. 51, pg. 91, pg. 116;	7.1.4, 7.6.2, 8.6.7;		ed	<p>Editorial corrections to the DIS</p>  <p>PL22.3-2022-00083-m228-22-193.txt</p> <p>Reference</p>	Index "enumeration constructor" (as text, not the syntax term) on pages 54, 91 (definition), and 116.	
US-029	pg. 54, pg. 116;	7.1.4, 8.6.7;		ed	Editorial corrections to the DIS	Index "enum constructor" (text) on pages 54 and 116.	

1 **MB** = Member body / **NC** = National Committee (enter the ISO 3166 two-letter country code, e.g. CN for China; comments from the ISO/CS editing unit are identified by **)


2 **Type of comment:** **ge** = general **te** = technical **ed** = editorial

Template for comments and secretariat observations

Date:2023-02-01

Document:

Project:



MB/ NC ¹	Line number	Clause/ Subclause	Paragraph/ Figure/Table	Type of comment ²	Comments	Proposed change	Observations of the secretariat
					 PL22.3-2022-00083- m228-22-193.txt Reference		
GB- 030	1	7.4.3.3	C723	te	Named constants used in complex literal constants were intended to be scalar, but the description fails to specify this restriction.	Change constraint C723 to read "Each named constant in a complex literal constant shall be scalar and of type integer or real."	
GB- 031	5	9.7.1.2	Para 4	te	For the allocation of a coarray that is an ultimate component of a dummy argument, if the ultimate argument is an unsaved local variable of a recursive procedure, the execution of the ALLOCATE statement needs to be at the same depth of recursion on every active image in the current team. See J3/22-201.	At the end of the sentence "If the coarray is an ultimate component of a dummy argument, the ultimate arguments on those images shall be declared with the same name in the same scoping unit." add "; if the ultimate argument is an unsaved local variable of a recursive procedure, the execution of the ALLOCATE statement shall be at the same depth of recursion of that procedure on every active image in the current team".	
US- 032	pg 141	9.7.1.2	para 4	te	In interp F18/040 in N2205 the sentence "If the coarray is an ultimate component of a dummy argument, the ultimate arguments on those images shall be declared with the same name in the same scoping unit and if in a recursive procedure at the same depth of recursion." was passed for 9.7.1.2 Execution of an ALLOCATE statement. The words "and if in a recursive procedure at the same depth of recursion" at the end of the sentence were not included in N2203 (Corrigendum 2) or the DIS because something cannot be declared at a depth of recursion. However, in the case of unsaved local variable of a recursive procedure, the depth of recursion should be taken into account. An edit for the DIS is suggested.	at the end of the sentence "If the coarray is an ultimate component of a dummy argument, the ultimate arguments on those images shall be declared with the same name in the same scoping unit." add "; if the ultimate argument is an unsaved local variable of a recursive procedure, the execution of the ALLOCATE statement shall be at the same depth of recursion of that procedure on every active image in the current team".	

1 **MB** = Member body / **NC** = National Committee (enter the ISO 3166 two-letter country code, e.g. CN for China; comments from the ISO/CS editing unit are identified by **)

2 **Type of comment:** **ge** = general **te** = technical **ed** = editorial

Template for comments and secretariat observations

Date:2023-02-01	Document:	Project:
-----------------	-----------	----------




MB/ NC ¹	Line number	Clause/ Subclause	Paragraph/ Figure/Table	Type of comment ²	Comments	Proposed change	Observations of the secretariat
					Reference: PL22.3-2022-00086-m228-22-201.txt  PL22.3-2022-00086- m228-22-201.txt		
US- 033	pg. 166	10.1.11	para 7	te	The definition of a specification expression omits type, but there is a specification type that depends only on the type when it is a derived type with no type parameters: STORAGE_SIZE  Reference: PL22.3-2022-00088- m228-22-206.txt	[166] 10.1.11 Specification expression, p7, first sentence, change "a type parameter, array bound, or cobound" to "the type, a type parameter, an array bound, or a cobound", and change "the type parameter" to "the type, type parameter", Making that whole first sentence read "If a specification expression includes a specification inquiry that depends on the type, a type parameter, an array bound, or a cobound of an entity specified in the same specification-part, the type, type parameter, array bound, or cobound shall be specified in a prior specification of the specification-part."	
GB- 034	1	15.5.2.14	NOTE 5	te	Because this revision of Fortran allows an allocatable component to have a coarray component, the note needs to refer to coarray potential subobject components. See J3/22-199.	Change "ultimate components" to "potential subobject components".	
US- 035	pg 328	15.5.2.14	NOTE 5	te	In the changes imported from Corrigendum 2, there are five places where what was "ultimate component" in coarray contexts in Fortran 2018 needs to be "potential subobject component" in Fortran 2023.	First sentence, change "ultimate component" to "potential subobject component" so that the sentence becomes "The exceptions to the aliasing restrictions for dummy arguments that are coarrays or have coarray potential subobject components enable cross-image	

1 **MB** = Member body / **NC** = National Committee (enter the ISO 3166 two-letter country code, e.g. CN for China; comments from the ISO/CS editing unit are identified by **)

2 **Type of comment:** **ge** = general **te** = technical **ed** = editorial

Template for comments and secretariat observations

Date:2023-02-01	Document:	Project:
-----------------	-----------	----------



MB/ NC ¹	Line number	Clause/ Subclause	Paragraph/ Figure/Table	Type of comment ²	Comments	Proposed change	Observations of the secretariat
					 PL22.3-2022-00084- m228-22-199.txt Reference:	access while the procedure is executing."	
GB-036	1	15.5.2.14	Para 1, items (3) (e) and 4 (e)	te	Because this revision of Fortran allows an allocatable component to have a coarray component, the restriction needs to refer to a coarray potential subobject component. See J3/22-199.	In both places, change "ultimate component" to "potential subobject component".	
US-037	pg. 326;	15.5.2.14;	para 1, item(3);	te	In the changes imported from Corrigendum 2, there are five places where what was "ultimate component" in coarray contexts in Fortran 2018 needs to be "potential subobject component" in Fortran 2023.  PL22.3-2022-00084- m228-22-199.txt Reference:	Change "ultimate component" to "potential subobject component" so that the item becomes "Action that affects the value of the entity or any subobject of it shall be taken only through the dummy argument unless ..., or the dummy argument has a coarray potential subobject component and the action is a coindexed definition of the corresponding coarray by a different image."	
US-038	pg 326;	15.5.2.14;	para 1, item(4);	te	In the changes imported from Corrigendum 2, there are five places where what was "ultimate component" in coarray contexts in Fortran 2018 needs to be "potential subobject component" in Fortran 2023.  PL22.3-2022-00084- m228-22-199.txt Reference:	Change "ultimate component" to "potential subobject component" so that the item becomes "If the value of the entity or any subobject of it is affected through the dummy argument, then at any time during the invocation and execution of the procedure, either before or after the definition, it shall be referenced only through that dummy argument unless ..., or the dummy argument has a coarray potential subobject component and the reference is a coindexed reference of the corresponding coarray by a different image."	
US-039	pg. 399	16.9.107		te	The editor's report for the DIS contains the following comment: "If TEAM_NUMBER appears and the current team is the initial team, COARRAY does not have to be established. Is that deliberate? What about an unallocated allocatable, or an allocatable that is only	IMAGE_INDEX (COARRAY, SUB) ..., para 3, argument COARRAY, before "If TEAM appears" add "If TEAM_NUMBER appears and the current team is the initial team, it shall be established in the initial team and the value of TEAM_NUMBER shall be the team number	

1 **MB** = Member body / **NC** = National Committee (enter the ISO 3166 two-letter country code, e.g. CN for China; comments from the ISO/CS editing unit are identified by **)

2 **Type of comment:** **ge** = general **te** = technical **ed** = editorial

Template for comments and secretariat observations

Date:2023-02-01	Document:	Project:
-----------------	-----------	----------



MB/ NC ¹	Line number	Clause/ Subclause	Paragraph/ Figure/Table	Type of comment ²	Comments	Proposed change	Observations of the secretariat
					<p>established in one or more subteams? Obviously an unallocated allocatable does not make sense, but it does not appear to be ruled out. And only established in a subteam looks problematic."</p> <p>Yes, we have failed to cover this case. There is a separate sentence for it in 9.6 Image selectors, para 3. We intended the rules for IMAGE_INDEX to be consistent with the rules in an image selector, we need a sentence here very like that in 9.6.</p>  <p>PL22.3-2022-00085-m228-22-200.txt</p> <p>Reference:</p>	for the initial team."	
GB-040	3	16.9.107	Argument COARRAY	te	The case where TEAM_NUMBER appears and the current team is the initial team is not covered. See J3/22-200.	Before "If TEAM appears" add "If TEAM_NUMBER appears and the current team is the initial team, it shall be established in the initial team and the value of TEAM_NUMBER shall be the team number for the initial team."	
US-041	pg. 361	16.9.20		te	<p>The requirements on the TARGET argument of ASSOCIATED are wrong, leading to a contradiction in the standard. The proposed change reword them to be "how we intended" (i.e. retain backwards compatibility, and do the obviously-right thing for new cases). For data pointers that are not assumed-rank, require the rank to be the same.</p> <p>Reference:</p>  <p>PL22.3-2022-00082-m228-22-292r2.txt</p>	<p>[361] 16.9.20 ASSOCIATED, Arguments paragraph, TARGET argument, replace entire description with that below.</p> <p>Note: the second sentence of the first paragraph is unchanged.</p> <p>"shall be a pointer or an entity that could be a target. If TARGET is a pointer then its pointer association status shall not be undefined.</p> <p>If POINTER is a procedure pointer, TARGET shall be a procedure (or procedure pointer) that would be allowable as the target of a pointer assignment (10.2.2) for a procedure pointer with the same characteristics as</p>	

1 MB = Member body / NC = National Committee (enter the ISO 3166 two-letter country code, e.g. CN for China; comments from the ISO/CS editing unit are identified by **)

2 Type of comment: ge = general te = technical ed = editorial

Template for comments and secretariat observations

Date:2023-02-01	Document:	Project:
-----------------	-----------	----------

MB/ NC ¹	Line number	Clause/ Subclause	Paragraph/ Figure/Table	Type of comment ²	Comments	Proposed change	Observations of the secretariat
						<p>POINTER.</p> <p>Otherwise, TARGET shall be a noncoindexed variable that is not an array section with a vector subscript, or a reference to a function that returns a data pointer. If POINTER is not unlimited polymorphic, TARGET shall be type compatible with it, and the corresponding kind type parameters shall be equal. If POINTER is not assumed-rank, TARGET shall have the same rank as POINTER."</p>	
GB-042	1-2	16.9.210	Argument TOKENS, para 2.	ed	This says the tokens are assigned "by intrinsic assignment", but the standard usually says "as if by intrinsic assignment" when there is no actual assignment statement.	Change the para to "The tokens in STRING are assigned in the order found, as if by intrinsic assignment, to the elements of TOKENS, in array element order".	
US-043	pg. 446;	16.9.210;		ed	<p>Editorial corrections to the DIS</p>  <p>PL22.3-2022-00083- m228-22-193.txt</p> <p>Reference</p>	TOKENIZE, Arguments para, argument FIRST, last sentence, "delimiter" -> "delimiter".	
US-044	pg 374;	16.9.54		te	<p>In the changes imported from Corrigendum 2, there are five places where what was "ultimate component" in coarray contexts in Fortran 2018 needs to be "potential subobject component" in Fortran 2023.</p>  <p>PL22.3-2022-00084- m228-22-199.txt</p> <p>Reference:</p>	CO_BROADCAST, argument A, final sentence change "ultimate component" to "potential subobject component" twice so that the sentence becomes "If no error condition occurs, A becomes defined, as if by intrinsic assignment, on all images in the current team with the value of A on image SOURCE_IMAGE, including (re)allocation of any allocatable potential subobject component, and setting the dynamic type of any polymorphic allocatable potential subobject component."	
GB-045	4-5	16.9.54	Argument A	te	Because this revision of Fortran allows an allocatable component to have a coarray	Twice, change "ultimate component" to "potential subobject component".	

1 **MB** = Member body / **NC** = National Committee (enter the ISO 3166 two-letter country code, e.g. CN for China; comments from the ISO/CS editing unit are identified by **)




2 **Type of comment:** **ge** = general **te** = technical **ed** = editorial

Template for comments and secretariat observations

Date:2023-02-01

Document:

Project:

MB/ NC ¹	Line number	Clause/ Subclause	Paragraph/ Figure/Table	Type of comment ²	Comments	Proposed change	Observations of the secretariat
					component, the text needs to refer to any allocatable coarray potential subobject component. See J3/22-199.		
US- 046	pg. 482;	17.11.39;		ed	Editorial corrections to the DIS  PL22.3-2022-00083- m228-22-193.txt Reference	IEEE_SET_FLAG, delete duplicate "Class" paragraph.	
US- 047	pg. 529	19.3.4	para 1, para 2, para3	ed	Usage of "may" has appeared where "can" is preferred. This appears three times. Reference:  PL22.3-2022-00087- m228-22-205.txt	Change "may" to "can" in paragraphs one, two and three in section 19.3.4 Components, type parameters, and bindings	
US- 048	pg. 529	19.3.4	para 5	ed	Also, there is an instance where the use of "may" should be "shall", as the point in question is a specific requirement. Reference:  PL22.3-2022-00087- m228-22-205.txt	Change "may appear only" to "shall appear only" in paragraph five of 19.3.4 Components, type parameters and bindings	
**_ 049		3			If "9" refers to a clause number, it must be replaced with "Clause 9". When referring to first-level clauses (i.e. Clause 1, Clause 2, Clause 5...), the word "Clause" must be spelled out Besides, such cross references must be in notes to entry, not in the actual definition.	Please correct relevant definitions and move references to notes to entry	

¹ **MB** = Member body / **NC** = National Committee (enter the ISO 3166 two-letter country code, e.g. CN for China; comments from the ISO/CS editing unit are identified by **)

² **Type of comment:** **ge** = general **te** = technical **ed** = editorial

Template for comments and secretariat observations

Date:2023-02-01	Document:	Project:
-----------------	-----------	----------

MB/ NC ¹	Line number	Clause/ Subclause	Paragraph/ Figure/Table	Type of comment ²	Comments	Proposed change	Observations of the secretariat
					3.46 data object object constant (7.1.4), variable (9), or subobject of a constant (5.4.3.2.4) - -		
JP-001-050		C.7.8	example		The example is too complicated and should be replaced with a simpler one. The paper J3/23-100 of INCITS/Fortran proposes an amendment of the example, which reduces the 109-line code to 76 lines.	Follow the description of the paper J3/23-100 of INCITS/Fortran (https://j3-fortran.org/doc/year/23/23-100.txt).	
GB-051		C.7.8	Example code.	te	This code is hard to follow. It ensures that each image keeps the same image index in the working team when other images fail so that it does not need to access new data on a restart. The code can be simplified if this is not required, which would make it more suitable as an example in the standard.	Proposed new code is in the paper J3/23-100.	
**_052		Foreword				Please use the foreword sent to you via email	
**_053		Introduction			“When a deferred-length allocatable actual argument of an intrinsic procedure is to be assigned character data,” In ISO deliverable, is to be/are to be = shall, which is not allowed in the introduction.	Please remove “to be”	
GB-054	5-6	Introduction	Bullet point Input/output	te	The sentence 'A deferred-length allocatable <i>io-unit</i> in a WRITE statement is allocated by the processor to the length of the record to be written.' is true only if the variable is scalar (see 12.4, bullet	Change “A deferred-length allocatable <i>io-unit</i> in a WRITE statement” to “A deferred-length allocatable scalar <i>io-unit</i> in a WRITE statement”.	

1 **MB** = Member body / **NC** = National Committee (enter the ISO 3166 two-letter country code, e.g. CN for China; comments from the ISO/CS editing unit are identified by **)

2 **Type of comment:** **ge** = general **te** = technical **ed** = editorial

Template for comments and secretariat observations

Date:2023-02-01

Document:

Project:

MB/ NC ¹	Line number	Clause/ Subclause	Paragraph/ Figure/Table	Type of comment ²	Comments	Proposed change	Observations of the secretariat
					4).		
**_ 055		Table titles			<p>Table 6.2: Adjacent keywords where separating blanks are optional</p> <p>In ISO deliverables the correct format for Table titles is:</p> <p>Table 6.2 — Adjacent keywords where separating blanks are optional</p>	<p>Please replace colon with Em dash and change title font to bold.</p> <p>Please correct throughout the document. This also applies to figure titles ; please also correct the format of figure titles.</p>	
**_ 056		Whole document			Single notes within a given clause or subclause shall not be numbered	Please remove numbering from single notes	
**_ 057		Whole document			NOTEs are not indented (unless it refers to an indented list item)	Please remove indentation before NOTEs.	
**_ 058		Whole document			<p>Notes to entry and NOTEs are marked up using a grey filed. This is not allowed.</p> <p>In ISO deliverables NOTEs and notes to entry are written using Cambria size 10.</p>	Please correct font size of notes to entry and NOTEs to Cambria size 10. Remove grey background.	
**_ 059		Whole document			<p>Note to entry (i.e. in Clause 3) are numbered even when there is only one note to entry.</p> <p>However, NOTEs are not numbered when there is only one NOTE in a given (sub)clause</p>	Please remove numbering for single NOTEs.	
**_ 060		Whole document			<p>e.g.</p> <p>“...on the rank (8.5.8, 8.5.17).”</p> <p>“...initialization compatible (7.5.4.6) with...”</p>	When referring to clauses or subclause, please use “see” or “in” before the clause or subclause number	

1 **MB** = Member body / **NC** = National Committee (enter the ISO 3166 two-letter country code, e.g. CN for China; comments from the ISO/CS editing unit are identified by **)

2 **Type of comment:** **ge** = general **te** = technical **ed** = editorial

Template for comments and secretariat observations

Date:2023-02-01

Document:

Project:

MB/ NC ¹	Line number	Clause/ Subclause	Paragraph/ Figure/Table	Type of comment ²	Comments	Proposed change	Observations of the secretariat
					"...intrinsic assignment (10.2.1.3) to a value..."		
**_ 061		Whole document			ISO deliverables shall be written in Cambria	Please use the correct font in the document except for code, which uses courier new.	

¹ **MB** = Member body / **NC** = National Committee (enter the ISO 3166 two-letter country code, e.g. CN for China; comments from the ISO/CS editing unit are identified by **)

² **Type of comment:** **ge** = general **te** = technical **ed** = editorial

ISO_IEC DIS 1539-1 (Ed 5)_ANSI.docx: Collation successful

ISO_IEC DIS 1539-1 (Ed 5)_BSI.docx: Collation successful

ISO_IEC DIS 1539-1 (Ed 5)_ISO.doc: Collation successful

ISO_IEC DIS 1539-1 (Ed 5)_JISC.docx: Collation successful

Collation of files was successful. Number of collated files: 4

SELECTED (number of files): 4

PASSED TEST (number of files conformed to CCT table model): 4

FAILED TEST (number of files conformed to CCT table model): 0

CCT - Version 2020.1